



Erratum to: An avian-only Filippov model incorporating culling of both susceptible and infected birds in combating avian influenza

Nyuk Sian Chong^{1,2} · Benoit Dionne¹ · Robert Smith^{1,3}

Published online: 15 April 2016
© Springer-Verlag Berlin Heidelberg 2016

Erratum to: J. Math. Biol. DOI 10.1007/s00285-016-0971-y

Unfortunately, in the original publication of the article, the first row of Table 2 was misplaced i.e. the entry $I_b < g_3$ should be the first row.

The corrected table is given below and the original article has been updated to reflect this change.

The online version of the original article can be found under doi:[10.1007/s00285-016-0971-y](https://doi.org/10.1007/s00285-016-0971-y).

✉ Robert Smith?
rsmith43@uottawa.ca

Nyuk Sian Chong
nchon077@uottawa.ca

Benoit Dionne
bdionne@uottawa.ca

¹ Department of Mathematics and Statistics, University of Ottawa, 585 King Edward Ave, Ottawa, ON K1N 6N5, Canada

² School of Informatics and Applied Mathematics, Universiti Malaysia Terengganu, 21030 Kuala Terengganu, Malaysia

³ Faculty of Medicine, University of Ottawa, 451 Smyth Rd, Ottawa, ON K1H 8M5, Canada

Table 2 Conclusions for Sects. 3–6

	$S_b < h_1$	$h_1 < S_b < h_2$	$h_2 < S_b < h_3$	$S_b > h_3$
$I_b < g_3$	II	II	IV	II
$g_3 < I_b < g_2$	I	$I_b < g_8$: I	$I_b < g_7 < g_6 < g_4$: III	II
		$g_8 < I_b$: I	$g_7 < I_b < g_6 < g_4$: III	
			$g_6 < I_b$: II	
$g_2 < I_b < g_1$	I	$I_b < g_8 < g_4$: I	I	I
		$g_8 < I_b < g_4$: I		
		$g_8 < g_4 < I_b$: I		
$g_1 < I_b$	I	I	I	I