THE COMPARISON OF FOOD COMSUMPTION AND GUT CONTENT OF SQUID AND CUTTLEFISH IN COASTAL AREA OF KUALA TERENGGANU AND KUALA LIPIS

AZIANA BINTI AHMAD FAUZI

FACULTY OF MARITIME STUDIES AND MARINE SCIENCE UNIVERSITI MALAYSIA TERENGGANU 2007

LP 6 FMSM 1 2007

IN 5122

1100054037

Perpustakaan Sultanah Nur Zahirah (UMT) Universiti Malaysia Terengganu





1100054037

The comarison of food comsumption and gut content of squid and cuttlefish in coastal area of Kuala Terengganu and Kuala Lipis / Aziana Ahmad Fauzi.

PERPUSTAKAAN SULTANAH NUR ZAHIRAH

	RSITI MALAYSIA TERENG 21030 KUALA TERENG 100054	
	+100054	037
and the second second second		
		Lihat seb

HAK WILK PERPUSTAKAAN SULTANAH KUR ZAHIRAH UNT

THE COMPARISON OF FOOD CONSUMPTION AND GUT CONTENT OF SQUID AND CUTTLEFISH IN COASTAL AREA OF KUALA TERENGGANU AND KUALA PERLIS

By

Aziana Binti Ahmad Fauzi

Research Report submitted in partial fulfillment of the requirements for the degree of Bachelor of Science (Marine Biology)

Department of Marine Science Faculty of Maritime Studies and Marine Science

UNIVERSITY MALAYSIA TERENGGANU

2007

1100054037

This paper should be cited as:

Aziana, A.F. 2007. The Comparison of Food Consumption and Gut Content of Squid and Cuttlefish in Coastal Area of Kuala Terengganu and Kuala Perlis. Undergraduate thesis, Bachelor of Science in Marine Biology, Faculty of Maritime Study and Marine Science, Universiti Malaysia Terengganu, 47p.

No part of the project may be produced by any mechanical, photographic or electronic process, or in the form of photographic recording, not may be it stored in retrieval system, transmitted, or otherwise copied or private use, without written permission from the author and the supervisor of this project.



JABATAN SAINS MARIN FAKULTI PENGAJIAN MARITIM DAN SAINS MARIN UNIVERSITI MALAYSIA TERENGGANU

PENGAKUAN DAN PENGESAHAN LAPORAN PROJEK PENYELIDIKAN I DAN II

Adalah ini diakui dan disahkan bahawa laporan penyelidikan bertajuk 'The Comparison of Food Consumption and Gut Content of Squid and Cuttlefish in Coastal Area of Kuala Terengganu and Kuala Perlis' oleh Aziana Binti Ahmad Fauzi, No. Matrik UK9497 telah diperiksa dan semua pembetulan yang disarankan telah dilakukan. Laporan ini dikemukan kepada Jabatan Sains Marin sebagai memenuhi sebahagian daripada keperluan memperolehi ijazah Sarjana Muda Sains Biologi Marin, Fakulti Pengajian Maritim dan Sains Marin, Universiti Malaysia Terengganu.

Disahkan oleh:

Penvelia uta

Nama: Tengku Fara Kamilia Bt. Tengku Mohd Kamil.

Cop rasmi:

Tarikh: 3 / 5 / 07

YM TENGKU FARA KAMILIA TG MOHD KAMIL Pensyarah Jabatan Sains Marin Fakulti Pengajian Maritim dan Sains Marin Universiti Malaysia Terengganu (UMT)

ACKNOWLEDGEMENTS

Thank to God, I finally gone through harsh times too. Thanks to my conscious project supervisor, Y.M Tengku Fara Kamilia Tengku Mohd. Kamil that always support me back in progressing further and further till this paper complete.

This paper shows my appreciation those who had been a helping hand till the end of my project, especially Indra Farid Idris, Azwarina Mohd Azıni Ramasamy and my housemate Siti Nurul Shahida and Noralfadhilah and those names that did not mention here This paper carries the symbol of my gratefulness to Mardiah Hayati Yahaya as science officer, Mr.Che Mohd zan, Mr. Jalal and Mr. Maliki as a Biodiversity Laboratory assistant, and those names that did not mention here. Best of all, I would acknowledge Miss Aziela Ahmad Fauzi that always been there for me when I need her the most and my parents that I love so much. Thanks for all.

TABLE OF CONTENTS

Contents		Page
ACKNOWLEDGEMENTS		
TABLE OF CONTENTS		
LIST OF FIGURES		
LIST OF TABLE	S	vi
LIST OF APPEN	DIX	vii
ABBREVIATION	k	viii
ABSTRACT		ix
ABSTRAK		х
CHAPTER 1	INTRODUCTION	1
1.1 Justification		2
1.2 Objective		2
CHAPTER 2	LITERATURE REVIEW	- 3
2.1 Morphology a	and anatomy	3
2.2 Food and feeding		6
2.3 Digest system and gut content		7
2.4 Habit and behavior		
2.5 Distribution and abundance		
2.6 Abundance in Malaysia		

CHAPTER 3	METHODOLOGY	12
3.1 Sampling area		12
3.2 Sampling		13
3.3 Sorting		
3.4 Laboratory work		13
CHAPTER 4	RESULTS	18
4.1 Species		18
4.2 Body weight and	fullness weight index	21
4.3 Stomach compos	ition	22
CHAPTER 5	DISCUSSION	32
CHAPTER 6	CONCLUSION	36
		-
REFERENCES		37
APPENDIX		40
CURRICULUM VITAE 47		

PAGE

LIST OF FIGURES

FIGURES

3.1	Map of sampling site in East coast and West coast	12
3.2	Flow chart of laboratory works	14
3.3	Morphometric measurement of cuttlefish and squid	15
4.1	Cuttlefish species	18
4.2	Squid species	20
4.3	Relationship between body weight and Fullness Weight Index of	
	squid and cuttlefish in the East and West coast area	21
4.4	Preys' occurrence percentage of squid species in East and West	
	coast	23
4.5	Preys' percentage occurrence of squid in East and West coast according	
	to length	25
4.6	Percentage occurrence of prey in East coast's squid and cuttlefish.	26
4.7	Preys' occurrence percentage of cuttlefish species in East and West	
	coast	28
4.8	Graph percentage occurrence of prey in West coast's squid and cuttlefish	29
4.9	Preys' percentage occurrence of cuttlefish in East and West coast accordin	ng
	to length.	31

LIST OF TABLES

TABLES		PAGE
4.1	Major groups of prey present in squid stomach in East coast.	22
4.2	Major groups of prey present in squid stomach in West coast.	22
4.3	Major groups of prey present in East coast squid group according to	
	length.	24
4.4	Major groups of prey present in West coast squid group according to	
	length.	24
4.5	Major groups of prey present in cuttlefish stomach in East coast.	27
4.6	Major groups of prey present in cuttlefish stomach in West coast.	27
4.7	Major groups of prey present in East coast cuttlefish group according t	0
	length.	30
4.8	Major groups of prey present in West coast cuttlefish group according	to
	length.	30

LIST OF APPENDIX

APPENDIX

PAGE

1	Data of occurrence prey of squid for East coast sample.	40
2	Data of occurrence prey of squid for West coast sample.	40
3	Data of occurrence prey of cuttlefish for East coast sample.	41
4	Data of occurrence prey of cuttlefish for West coast sample.	41
5	Occurrence prey according to mantle length (cm) in East coast squid.	42
6	Occurrence prey according to mantle length (cm) in West coast squid.	42
7	Occurrence prey according to mantle length (cm) in East coast cuttlefish.	42
8	Occurrence prey according to mantle length (cm) in West coast cuttlefish.	42
9	Partial of cephalopod	43
10	Partial of crustacean	44
11	Partial of fish	45
12	Partial of unrecognized	46

LIST OF ABBREVIATIONS

g	=	gram
cm	-	centimeter
%	=	percentage
ML	=	Mantle Length
TL	=	Total Length
BW	=	Body Weight
SCW	=	Stomach Content Weight
FWI	П	Fullness Weight Index

ABSTRACT

Cephalopods are one among marine resources that serve as a main food in this country. This study is generally carried out to determine major groups of prey that was consumed by cephalopods in 2 regions, that is East coast and West coast of Peninsular Malaysia .This research is to determine the relationship between cephalopods weight and Fullness Weight Index (FWI). 110 samples of cephalopods were analyzed throughout the project, 88 samples are squid while the rest are cuttlefish. 3 species of cuttlefish *Sepia recurvirostra*, *Sepiella* sp.and *Sepia pharaonis* had found in East coast while 3 species *Sepia aculenta*, *Sepiothentis lessoniana* and *Sepia pharaonis* were found in West coast. For squid, 5 species *Loligo chinensis*, *L. duvaucelli*, *L. sibogae*, *L. edulis* and *L. uyii* were found at both places. Type of food or prey from cephalopods stomach were identified and classed into 3 major groups that is fish, crustacean and cephalopods while unidentified partials were classed under others. Results show no differences among squid and cuttlefish type of food or prey from East coast and West coast. Overall, fish is the highest of prey had consumed by from squid and cuttlefish.