# MORPHOMETRIC STUDY OF HORSESHOE CRAB (Tachypleus gigas and Carcinoscorpius rotundicauda) FROM BALOK, PAHANG

## NURLIYANA BINTI SUBLI

UNIVERSITI MALAYSIA TERENGGANU

LP 30 FMSM 2 2011

2011

LP 30 FMSM 2 2011



1100088847

Morphometric study of horseshoe crab (Tachypleus gigas and Carcinoscorpius rotundicauda) from Balok, Pahang / Nurliyana Subli



PERPUSTAKAAN SULTANAH NUR ZAFIRAH UNIVERSITI MALAYSIA TERENGGANU (UMT)

. 1	10008884	7
		18 1 8 1 2
<u></u>		
	- Lauria	
<del></del>		· · · · · ·
2 * * * * * * * * * * * * * * * * * * *		]
	-	<del>                                     </del>
	<u> </u>	ļ
*		
	1	<del>                                     </del>
	<del> </del>	
Value and or minimum.	the first	
		- Alexandra -

Lihat sepsiar

HAK MILIK PERPUSTAKAAN SULTANAH NUR ZAHTRAH UNT

# MORPHOMETRIC STUDY OF HORSESHOE CRAB (Tachypleus gigas and Carcinoscorpius rotundicauda) FROM BALOK, PAHANG

By Nurliyana Binti Subli

Research Report Submitted In Partial Fulfillment of the Requirement for the Degree of Bachelor of Science (Marine Science)

Department of Marine Science
Faculty of Maritime Studies and Marine Science
UNIVERSITI MALAYSIA TERENGGANU
2011



# DECLARATION AND VERIFICATION FINAL YEAR RESEARCH PROJECT

It is hereby declared and verified that this research report entitled:

Morphometric study of Horseshoe crab (*Tachypleus gigas* and *Carcinoscorpius rotundicauda*) from Balok, Pahang by NURLIYANA BINTI SUBLI, Matric No.uk16742 have been examined and all errors identified have been corrected. This report is submitted to the Department of Marine Science as partial fulfillment towards obtaining the Degree of Science (Marine Science), Faculty of Maritime Studies and Marine Science, University Malaysia Terengganu.

Marine Science, Uni	versity Malaysia Terengganu.	
Verified by:		
Mulga	n)	
Principal Supervisor		
	PROF. Zaleha Bt. Kansimt. KASSIM	Date: 24 /4/2011
Official stamp:	PENSYARAH INSTITUT AKUAKULTUR TROPIKA UNIVERSITI MALAYSIA TERENGGANU 21030 KUALA TERENGGANU	Date:
Second Supervisor		
-	onina Bt. Abdullah	
Official stamp:	onna pa Modullan	Date:
Danjun	<i>o</i>	

Date:...9 14/11

Head Department of Marine Science

Name: Dr. Razak Bin Zakariya

Official stamp:

DR. RAZĂK ZAKARIYA ketua Jabatan Sains Marin Fakulti Pengajian Maritim dan Sains Marin Univer-iti Malaysia Terengganu (UMT)

This project report should be cited as:

Nurliyana, S. 2011. Morphometric Study of Horseshoe Crab (*Tachypleus gigas* and *Carcinoscorpius rotundicauda*) from Balok, Pahang. Undergraduate thesis, Bachelor of Science in Marine Science, Faculty of Maritime Studies and Marine Science, University Malaysia Terengganu, Terengganu. 48p.

No part of this project report may be reproduced by any mechanical, photographic, or electronic process, or in the form of phonographic recording, nor may it be stored in a retrieval system, transmitted, or otherwise copied for public or private use, without written permission from the author and the supervisor(s) of the project.



#### **ACKNOWLEDGEMENTS**

Alhamdulillah and thanks to god the most merciful that enable me to finish this thesis after a long journey of research and writing process. First of all, I would like to give my high appreciation to my beloved father and mother; Subli bin Sulong and Siti Badariah binti Hj. Abdul Salam for always being by my side giving supports and loves. This appreciation is also for all my family members. Next, I would like to express my deep gratitude and indebtedness to Dr. Zaleha binti Kassim for her kindness, guidance and advices as my supervisor during the entire course and enable me to finish my project until the writing process. Besides, I would like to take this opportunity to thanks Kamaliah Kasmarudin, Busra Ibrahim, Sellina Zaki, Ahmad Lutfi, and Noorul Ain Falah for helping me a lot during my sampling since May to September 2010. To my longsuffering colleague Nurul Nadheerah Baharudin, should be awarded medals for putting up with me, accompanying, and being so helpful to me. Yet another round, medals should be awarded as my appreciation to my BFF; Nurhafizah Wahab, Nursyela Md. Amir Shah, Nurul Rabitah Daud, Nora Diana Halim, and Rafidah Rosli for their loves and encouragement throughout these three years of journey in UMT. Thanks also to my other colleagues in Marine Science 08/10 for cheering up my days even though everyone is worried and busy about assignments, studies, and most critical the final year project. Last but not least, a million of thanks to Dr. Nor Antonina bt. Abdullah, lecturers and staffs in Marine Science Department for their supports and helps.

My unending thanks to all.

### TABLE OF CONTENTS

	CON	TENT	PAGE
	Ackn	owledgements	ĩ
	Table	e of Contents	ii
	List o	of Tables	iv
	List	of Figures	v
	Abbr	eviations	vi
	List	of Appendices	vii
	Abst	ract (in English)	viii
	Abst	ract (in Bahasa Malaysia)	ix
0.1	INTE	RODUCTION	
	1.1	Background study	1
	1.2	Problem statement and Justification	2
	1.3	Objectives	4

#### 2.0 LITERATURE REVIEW Distribution 5 2.1 2.2 7 Environmental requirements Nesting and Spawning 9 2.3 2.4 Morphometry 11 3.0 **METHODOLOGY** 3.1 Study site 14 Field sampling 15 3.2 3.3 Statistical analysis 17 RESULTS 4.0 18 5.0 **DISCUSSIONS** 32 6.0 CONCLUSION 38 References 39 Appendix 42

Curriculum Vitae

48

### LIST OF TABLES

Table	Title	Page
2.1	Taxonomy for each Species	7
2.2	The differences between species	7
4.1	Water parameter (mean values) for both stations	18
4.2	Total number of horseshoe crabs by species	19
4.3	Total number of horseshoe crabs from different sources	19
4.4	Weight (g) range of horseshoe crab	20
4.5	Length (mm) range of horseshoe crab	20
4.6	Weight (g) and five morphometric variables (mm) of <i>Tachypleus gigas</i> species, with number of individual (N), mean value (X), and standard deviation (±SD)	21
4.7	Weight (g) and five morphometric variables (mm) of <i>Carcinoscorpius rotundicauda</i> species, with number of individual (N), mean value (X), and standard deviation (±SD)	22
4.8	Regression values of males and females for both species	23
4.9	Ratios of mean values of male to female of two horseshoe crab species ( <i>Tachypleus gigas</i> and <i>Carcinoscorpius rotundicauda</i> )	30

### LIST OF FIGURES

Figure	Title	Page
3.1	Sampling Site Area	14
3.2	Net setup at the Mangrove	16
3.3	Flowchart of Methodology	17
4.1	Regression analysis for male <i>T. gigas</i>	25
4.2	Regression analysis for female <i>T. gigas</i>	26
4.3	Regression analysis for male C. rotundicauda	28
4.4	Regression analysis for female C. rotundicauda	29
4.5	Distribution of two horseshoe crab species	31

#### **ABBREVIATIONS**

Wt = Body Weight

IOL = Inter-ocular Length

DPB = Dorsal Prosoma Breadth

DBL = Dorsal Body Length

VPB = Ventral Prosoma Breadth

TL = Telson Length

CH = Central Height

FL = Frontal Length

FMH = Frontal Margin Height

RL = Regional Height

DO = Dissolved oxygen

### LIST OF APPENDICES

Appendix	Title	Page
I	Data parameter Sampling Balok, Kuantan (May-September 2010).	42
II	Data Morphometry	43
III	Horseshoe crab Landing Survey	47

#### **ABSTRACT**

This study was conducted at Balok, Pahang. Sampling was done during full moon and new moon in May to September 2010. The samples of horseshoe crab (Tachypleus gigas and Carcinoscorpius rotundicauda) were collected at the beach and mangrove area for morphometry measurement. Existence area of horseshoe crab was important for distribution record. Ten variables of morphometry (millimeter) including body weight have been taken during sampling. The total of 115 individual of two horseshoe crab species were collected from the sampling sites. There are 92 individual of T. gigas consists of 33 males and 59 females, while 15 males and 8 females from total 23 individual of C. rotundicauda. Weight ranges (g) of horseshoe crab are 180 - 420 gram for male and 290 - 1200 gram for female T. gigas, while 100 - 260 gram for male and 260 – 340 gram for female C. rotundicauda. In addition, range of length for male and female T. gigas are 244 – 378 mm and 230 – 516 mm, whereas 269 – 337 mm and 299 – 390 mm for male and female C. rotundicauda. Ratios of male to female tells the comparative body size which is for T. gigas species, the male size is nearly 72% of the female while for C. rotundicauda, male size is nearly 83% of female. In every aspect, it shows that female of T. gigas and C. rotundicauda are bigger and heavier than male of both species.

# Kajian Morfometrik Belangkas bagi spesis (*Tachypleus gigas* dan *Carcinoscorpius* rotundicauda) di Balok, Pahang

#### **ABSTRAK**

Kajian ini telah dijalankan di Balok, Pahang pada bulan Mei hingga September 2010 iaitu setiap 2 minggu, ketika bulan baru dan bulan penuh. Sampel-sampel belangkas dikutip dan dikumpul daripada kawasan pantai dan kawasan bakau dengan bantuan nelayan dan juga penduduk di kawasan tersebut. Kawasan pendaratan belangkas direkod bagi menghasilkan peta taburan untuk kedua-dua spesis. Terdapat 10 ciri-ciri morfometrik termasuk berat telah direkod dan diambil kira ketika proses mengukur belangkas. Jumlah keseluruhan belangkas yang ditemu ia dalah 115 ekor iaitu 92 ekor bagi T. gigas dan 23 ekor C. rotundicauda. Daripada 92 ekor, 33 ekor adalah belangkas jantan dan 59 ekor belangkas betina. Manakala daripada 23 ekor C. rotundicauda, 15 ekor adalah belangkas jantan dan 8 ekor belangkas betina. Skala bagi berat belangkas jantan dan betina (T. gigas) adalah 180 - 420 dan 290 - 1200 gram, manakala bagi (C. rotundicauda) ialah 100 – 260 dan 260 – 340 gram. Seterusnya, skala panjang belangkas jantan dan betina (T. gigas) adalah 244 – 378 mm dan 230 – 516 mm, manakala 269 – 337 mm dan 299 – 390 mm bagi belangkas jantan dan betina (C. rotundicauda). Analisis nisbah antara belangkas jantan dan betina yang telah dilakukan adalah bertujuan membandingkan saiz belangkas mengikut jantina. Nisbah jantan sepsis T. gigas adalah hampir 72% saiz betina, dan nisbah saiz jantan sepsis C. rotundicauda adalah hampir 83% saiz betina. Secara keseluruhannya, saiz belangkas betina bagi kedua-dua spesis adalah lebih besar dan lebih berat berbanding saiz belangkas jantan.